

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 11:36 am

PWS ID: UTAH02022 **Name:** WEST CORINNE WATER CO
Legal Contact: WEST CORINNE WATER CO **Rating:** Approved
 CARY M MCFARLAND **Rating Date:** 07/20/1994
Address: 8390 W HWY 83 **Activity Status:** Active
 BRIGHAM CITY, UT 84307
Phone Number: 435-230-0792
City Served (Area):
County: BOX ELDER COUNTY

System Type: Community **Last Inv Update:** 12/30/2010 **Avg Daily Prod:**
Activity Status Cd: Active **Last Snty Srv Dt:** 06/27/2006 **Total Dsgn Cap:**
Population: 1,275 **Surveyor:** DAVID F HANSEN **Total Emerg Cap:**
Oper Period: 1/1 to 12/31

Gal/Day Gal/Min

Total Coliform Rule Monitoring

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name
2	Routine	Monthly	12/01/2009		1/1	12/31	COLIFORM (TCR)

Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID Facility Name

Analyte Name	Sample Count	Sample Type	Sample Frequency	Last Sample	Next Sample Between
DS001 UTAH02022 DISTRIBUTION SYSTEM		Activity Status: A	Sample Label: UTAH02022	DS001	
ASBESTOS	1	Routine	9Y	02/03/2004	01/01/2011-12/31/2019
Disinfection Biproducts	1	Routine	3 Years	08/05/2009	07/01-09/30 2012
Lead & Copper	10	Routine	3 Years	2009	06/01-09/30 2012
Disinfection Biproducts	1	Routine	3 Years	08/05/2009	07/01-09/30 2012
SS223 GROUP SPRINGS SAMPLING STATION SS223		Activity Status: A	Sample Label: UTAH02022	SS223 SS223	
NITRATE	1	Routine	Year	06/03/2010	01/01/2011-12/31/2011
Radionuclides	1	Routine	6 Years	04/24/2008	01/01/2014-12/31/2019
Inorg & Metals	1	Routine	3 Years	04/24/2008	01/01/2011-12/31/2013
Sodium,Sulfate,TDS	1	Routine	3 Years	04/24/2008	01/01/2011-12/31/2013
Volatile Organics	1	Routine	6 Years	10/22/2007	01/01/2008-12/31/2013
WS007 ANDERSON WELL		Activity Status: A	Sample Label: UTAH02022	WS007 WS007	
NITRATE	1	Routine	Year	06/03/2010	01/01/2011-12/31/2011
Volatile Organics	1	Routine	6 Years	10/22/2007	01/01/2008-12/31/2013
Inorg & Metals	1	Routine	3 Years	04/27/2006	01/01/2008-12/31/2010
Sodium,Sulfate,TDS	1	Routine	3 Years	06/03/2010	01/01/2011-12/31/2013
Radionuclides	1	Routine	3 Years	04/24/2008	01/01/2011-12/31/2013

Sources Grouped for Sampling Compliance

Source Group ID: UTAH SAMPLING STATION SS223

Sources in Group

WS001	LOWEST SPRING	UTAH02022	WEST CORINNE WATER CO
WS002	SECOND LOWEST SPRING	UTAH02022	WEST CORINNE WATER CO
WS003	THIRD LOWEST SPRING	UTAH02022	WEST CORINNE WATER CO
WS004	MAIN SPRING	UTAH02022	WEST CORINNE WATER CO

Utah Department of Environmental Quality

Division of Drinking Water

Monitoring Schedule

Run Date:
08/04/2011 11:36 am